

### IKE ICO Flooring is an art

. .

the second s

COMPARE OF

and the second se


22




BLACKMORE FA701





## "If you love a space that go against the grain and have a lot of personality, you'll love this range".





### - Jhon Fredrik



















# "The sky is everywhere, it begins at your feet." -Jandy Nelson




### SPECIFICATIONS STYLE NAME: CONSTRUCTION: FACE YARN: COLOUR SYSTEM: Solution Dyed GAUGE: 1/12" PILE HEIGHT: 3.5mm(+/-0.5mm)TOTAL THICKNESS: 6.5mm (+/- 0.5mm) PILE WEIGHT: 17 oz/yd<sup>2</sup> PVC TILE BACKING: TILE SIZE: PACKING: 20 PCS

### PERFORMANCE ELECTROSTATIC PROPENSITY:

FLAMMABILITY: COLORFASTNESS TO LIGHT: TUFT BIND: ACCELERATED SOILING:

### \* AS IN ALL QUALITY CARPETS, COLOURS ARE SUBJECT TO DYELOT VARIATIONS.

The product images shown are illustration purpose only and may not be an exact representation of the product.








# AACHEN DIMENSIONAL STABILITY: ITTS 004

≤ 2.0 KV (AATCC 134-1996) ASTM D 2859 96 Pill Test AATCC 16 **ASTM D 1335** ASTM D 6540

60cm x 60cm

**5TH AVENUE** Multi-Level Loop 90% PP + 10% Nylon

### **RECOMMENDED INSTALLATION METHOD:**





039-025-2280 Environmentally **Preferred Carpet**